

**MATERIAL SAFETY DATA SHEET**  
(Prepared According to 29 CFR 1910.1200)

Date Prepared: 1/4/2008

Code: 2650

**SECTION 1 - PRODUCT IDENTIFICATION**

Distributor: <b>Custom Solutions</b>	Emergency Phone: 800.309.5869
Address: 900 East 103rd Street, Chicago, IL 60628	Prepared By: LPL
Trade Name: <b>Attract</b>	Product Type: Dust Mop Treatment

**SECTION 2 - INGREDIENTS**

CHEMICAL NAME/COMMON NAME	CAS NO.	WT. %(opt)	TLV(Source)	TITLE III, SECT. 313
Mineral Seal Oil (Petroleum Hydrocarbon Mixture)	64741-44-2	90-100%	400ppm(TWA)	No
Other components are present below 1%				

**SECTION 3 - PHYSICAL DATA**

Boiling point (°F.)	>300°F	Specific Gravity (H2O=1.0)	0.8 ± 0.005	pH	N/A ± 0.5
Vapor Pressure (mm Hg)	<50mmHg	Vapor Density (Air=1)	6-10		
Solubility in water	<input type="checkbox"/> Complete <input checked="" type="checkbox"/> Insoluble	<input type="checkbox"/> Emulsifiable (or Dispersible)	<input type="checkbox"/> Slight (or Partial)		
Evaporation Rate (vs. H2O)	<input type="checkbox"/> Faster <input checked="" type="checkbox"/> Slower <input type="checkbox"/> About the Same	Appearance and Odor	Water white liquid to straw colored liquid with pleasant odor.		

**SECTION 4 - FIRE AND EXPLOSION HAZARD DATA**

Flash Point (T.C.C.)	> 260°F. <input type="checkbox"/> None to Boiling	Flammable Limits	Upper 6.0	Lower 0.7
Extinguishing Media	Dry chemical, foam or carbon dioxide. Water stream may spread fire.			
Special Firefighting Procedures	Do not enter confined fire-spaces without protective clothing and self-contained air supply.			
Unusual Fire and Explosion Hazards	None			

**SECTION 5 - REACTIVITY DATA**

Stability	Stable	Incompatibility	Strong Oxidizers
Hazardous Decomposition Products	Carbon monoxide, carbon dioxide and various hydrocarbons.		

**SECTION 6 - HEALTH HAZARD DATA**

Primary Routes of Exposure	<input checked="" type="checkbox"/> Eye <input checked="" type="checkbox"/> Skin <input checked="" type="checkbox"/> Oral <input checked="" type="checkbox"/> Inhalation <input type="checkbox"/> Other
Signs and Symptoms Of Overexposure (Acute)	Prolonged or repeated contact with skin or eyes may cause irritation. Excessive inhalation of vapors may cause nasal and respiratory irritation, headache and C.N.S. Depression (dizziness, fatigue). Ingestion may cause nausea, vomiting, headache, C.N.S. Depression, pneumonitis, pulmonary edema and possible convulsions with loss of consciousness. Aspiration hazard - can enter lungs during ingestion and/or vomiting and cause lung damage or fatality.
Signs and Symptoms of Overexposure (Chronic)	Constant skin overexposure may cause severe dermatitis.
Medical Conditions Aggravated by Overexposure	Impaired pulmonary function, especially those with obstructive airway diseases. Skin disorders.
Carcinogen or Suspect Carcinogen Ingredients	<input type="checkbox"/> NTP <input type="checkbox"/> IARC <input type="checkbox"/> OSHA <input checked="" type="checkbox"/> NONE

**SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES**

Eyes	Flush eyes with water for at least 15 minutes and call a physician immediately.
Skin	Wash affected areas with large amounts of soap and water. If irritation persists call a physician.
Ingestion	Aspiration Hazard - Do NOT induce vomiting or give anything by mouth. Seek immediate medical attention.
Inhalation	Remove to fresh air. Start artificial respiration if necessary. Oxygen may be administered. Call a physician.

**SECTION 8 - SPECIAL PROTECTION INFORMATION**

Respiratory Protection	Normally not required. Provide ventilation to keep concentration of listed components below TLV.
Ventilation Requirements	Normal <input type="checkbox"/> Local Exhaust <input type="checkbox"/> Mechanical <input type="checkbox"/> Other <input type="checkbox"/> Eye Protection Safety Glasses/Goggles
Protective Gloves	Other Protective Protective clothing appropriate to minimize contact during specific operations.
Neoprene or Clothing	

**SECTION 9 - SPILL OR LEAK PROCEDURES**

Steps To Be Taken If Released or	Do not touch or walk through spilled material. Stop leak if you can without risk. Dike ahead of large spills to prevent run-off. Mop, pump or take up with sand or other inert absorbent and reclaim into containers for reuse, recycle, or proper disposal.
Waste Disposal Methods	Dispose of in an approved waste facility according to Federal, State and local regulations.

**SECTION 10 - STORAGE AND HANDLING INFORMATION**

Precautions to be Taken In Handling and Storage	Handle containers carefully, keep splash to a minimum. Keep container closed when not in use. Wash thoroughly after handling. Do not get in eyes, on skin or clothing. Use with adequate ventilation. D.O.T. Classification : Not Regulated
-------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

The health hazards given on this Material Safety Data Sheet apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of overexposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

HMIS  
HAZARD  
RATING

HEALTH	2
FLAMMABILITY	1
REACTIVITY	0
PERSONAL PROTECTION	X

- 0 - LEAST
- 1 - SLIGHT
- 2 - MODERATE
- 3 - HIGH
- 4 - EXTREME